

Brand: Hurricane  
Engine: Harley-Davidson  
Part Type: Connecting Rods  
Center to Center Length: 195.58 mm/7.700"  
Big End Bore Diameter: 53.44mm/2.104"  
Big End Width: 45.7mm/1.799"  
Small End Bore Diameter: 23.55mm /0.927"  
Small End Width: 26.88mm/1.058"  
Beam Style: H-beam  
Approximate Connecting Rod Weight: 1240g/piece  
Material: Forged 4340 steel  
Connecting Rod Finish: Shot-peened, Polished  
Pin: Bronze wrist pin bushings  
Wrist Pin Style: Floating  
Cap Retention Style: Cap screw  
Weight Matched Set: Yes ,Balanced +/- 1g  
Magnafluxed: Yes  
Private Label: Yes ,available  
Custom design: Yes, accept

## Harley-Davidson Motorcycle Forged Connecting Rod Description

These Harley-Davidson Motorcycle connecting rod is available for Harley performance street and racing motorcycles engine , machined from [4340 forging steel](#) , heat treated and shot peened for superior durability , installed bronze bushings , weight matched to plus/minus 1 gram .



We offer several different specifications for Harley-Davidson V Rod connecting rod , if you can not find which you want , please feel free [email](#) us.



All Harley-Davidson Connecting Rods are made on forgings to achieve that optimum strength and durability while reducing weight. Connecting rods are available in standard stock replacement or custom design, All of our connecting rods represent the highest quality and are engineered for maximum power.

## High Performance Connecting Rods for Harley Davidson Feature

- Steel Strength, toughness and resistance to impact
- Extra lubrication to minimize pin wear
- Minimizes clearance without focusing stress in tight radii
- Minimizes outward bowing at peak combustion pressure
- Center small end to bore center optimizes horsepower
- Longer bearing life



Harley Davidson Picture

