

Brand: Hurricane
Engine: FORD SMALL BLOCK-289/302/5.0L
Part Type: Connecting Rods
Center to Center Length: 137.16mm/5.400"
Big End Bore Diameter: 56.52mm/2.250"
Big End Width: 21.11mm/0.831"
Small End Bore Diameter: 23.55mm /0.927"
Small End Width: 26.92mm/1.060"
Beam Style: H-beam
Connecting Rod Bolt Diameter: 7/16"
Approximate Connecting Rod Weight: 580g/piece
Advertised Horsepower Rating: 1000hp
Quantity: Sold as 8 pieces /set
Material: Forged 4340 steel
Connecting Rod Finish: Shot-peened, Polished
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1g
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept

More Details:

Those connecting rod of Ford are Profiled for Stroker Engines, Sized and Balanced to +/- 1 gram. H -beam is very smooth as a result of twice machining by CNC. Premium bronze wrist pin bushings and Dowel included.



[High Quality ARP 2000 Spec Cap Screw Bolts](#) are sold separate.



Bronze Bushing

Forged 4340 steel

Conrods are made from 4340 steel as an aircraft grade alloy because of its superior strength and durability. Steel that meets Iron and Steel Institute (AISI) 4340 standards.

In small end bore, bronze bushing would install, Bushing material: QAL10-3-1.5, chemical element: Al: 8.5~10.0%, Mn: 1.0~2.0%, Fe: 2.0~4.0%, Remain: Cu

For more Ford H beam connecting rod, please visit our [catalog](#) or [download page](#). New parts are constantly in development so we may have ford rods available that have not been added to this site yet.