

# Chrysler Hemi 6.860" X-beam Conrods Main Dimensions

Brand: Hurricane*	
Center to Center Length: 174.24mm/6.860"	
Big End Bore Diameter: 63.5mm/2.500"	
Big End Width: 24.95mm/0.982"	
Small End Bore Diameter: 26.16mm /1.030"	
Small End Width: 25.4mm/1.250"	
Beam Style: X-beam	

# Chrysler Hemi 6.860" X-beam Conrods Features

Connecting Rod Bolt Diameter	7/16"
Approximate Connecting Rod Weight	xxx gram per piece
Advertised Horsepower Rating	1000 HP
Quantity	Sold as 8 pieces per set
Material	<a href="#">Forged 4340 steel</a>
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes Balanced +/- 1g per set
Magnafluxed	Yes
Private Label	Yes, available
Custom design	Yes, accept

## Additional Description :


1). MOQ: 100pcs per model .

2). CNC Machined from premium 4340 forged steel forgings .

3). Finished as X-beam beam shape for weight saving and high strength .

4). Per rod polished fully to remove knife mark better .

5). Shot peened to relieve stress.



6).Magnaflux inspected and dimensionally inspected to insure quality.

7).Oil hole featured at the pin ends to provide enough lubrication and cooling .



8). Packaged in balanced per set: end to end +/- 1 gram.

**Hurricane finished X-beam connecting rods picture**



Welcome to contact us if you any further question. [marketing@hurricane-rod.com.cn](mailto:marketing@hurricane-rod.com.cn)