

Brand: Hurricane
Engine: Honda / Acura RSX 2.0 VTEC K20A2/K20A
Part Type: Connecting Rods
Center to Center Length: 138.98mm/5.472"
Big End Bore Diameter: 51mm/2.008"
Big End Width: 19.8mm/0.7795"
Small End Bore Diameter: 22mm /0.8661"
Small End Width: 19.8mm/0.7795"
Beam Style: I-beam
Connecting Rod Bolt Diameter: 3/8"
Approximate Connecting Rod Weight: 600g/piece
Advertised Horsepower Rating: 900hp
Quantity: Sold as 4 pieces /set
Material: Forged 4340 steel
Connecting Rod Finish: Shot-peened, Polished
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1g
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept

Hurricane finished I-beam race rods fits HONDA / Acura RSX 2.0 VTEC K20A2/K20A engine, made from 1-piece 4340 forging (A chrome moly alloy with high tensile and compressive strength) to ensure maximum strength and durability.



Note: forging 4340 steel, heat treatment: HRC34-38

Also this I beam rods can handle high rpm tension forces well.



Note: Various I-beam that Hurricane provided and machined before, more design on beam, please kindly explore

[Hurricane Connecting Rod Features - Various Beam Designs](#)

If you prefer H beam connecting rod design on this engine application, [please leave message to](#) our skilled staffs.

FAQ

A: What package is available?

B: Package: Step 1: anti-tarnish paper and bag

Step 2: Foam internal

Step 3: White Box

Step 4: Carton

Step 5: Seal and shipp by air

