

Brand: Hurricane  
Engine: Harley Davidson  
Part Type: Connecting Rods  
Center to Center Length: 188.98mm/7.440"  
Big End Bore Diameter: 53.44mm/2.104"  
Big End Width: 45.7mm/1.780"  
Small End Bore Diameter: 23.55mm /0.927"  
Small End Width: 26.88mm/1.058"  
Beam Style: H-beam  
Approximate Connecting Rod Weight:1241g/piece  
Advertised Horsepower Rating: ~hp  
Sold as: 1set  
Material: Forged 4340 steel  
Connecting Rod Finish: Shot-peened, Polished  
Pin: Bronze wrist pin bushings  
Wrist Pin Style: Floating  
Cap Retention Style: Cap screw  
Weight Matched Set: Yes ,Balanced +/- 1g  
Magnafluxed: Yes  
Private Label: Yes ,available  
Custom design: Yes, accept

Hurricane Speed & Performance H beam connecting rods are machined from 4340 forgings, heat treated and shot peened for superior strength and durability. The end result is some of the finest connecting rods available.

**[All Harley Davidson before we produced here!](#)**



# Hurricane harley davidson 7.440 connecting rods Set

- These rods are performance replacements for stock or modified Harley-Davidson engines
- Each set is balanced and ready to install
- They're drop forged from 4340 Chrome moly steel; harder than stock heat treatment specifications
- 7.440" center-to-center length
- Bronze bushings for longer wrist pin life



Harley Davidson Picture

