

Vauxhall Omega 3.0i V6 h beam conrods Main Sizes

Brand: Hurricane*	
Center to Center Length: 147.98mm/5.826"	
Big End Bore Diameter: 57mm/2.244"	
Big End Width: 19.86mm/0.782"	
Small End Bore Diameter: 20mm/0.787"	
Small End Width: 21mm /0.827"	
Beam Style: H-beam	

VAUXHALL OMEGA 3.0I conrods Features

Connecting Rod Bolt Diameter	3/8"
Approximate Connecting Rod Weight	XXXg
Advertised Horsepower Rating	750hp
Quantity	Sold as 6 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

Vauxhall Omega replacement ConRods Description

#1, Strength for high horsepower applications while keeping demanding race applications additional weight to a minimum.

#2, Micro Polishing enhance rods durability while leaving a great-looking finish.



Note: You can check the following News link to know more details: [Connecting rods Shot Peening and Mirco-Polishing, Special A-level appearance](#)

#3, Round Shoulder Design



Note: Hurricane can also provide 3X45° Shoulder design and Square Shoulder design. for more info, please

check at: [Hurricane Connecting Rod Shoulder Design](#)

#4, Honing the big and small end bores to meet high quality standard, make all to use sizes and balanced weighted in +/- 1g sets.

#5, Forged connecting rod h beam for increased horsepower and efficiency.

Buy performance connecting rods for Opel Vauxhall Omega 3.0l directly from Hurricane, Welcome to [leave your requirments here](#), our skilled staff will get in touch with you soon.

Opel Race Car Picture Share

