

Brand: Hurricane
Engine: BMW E36 M50B25 M50B28
Part Type: Connecting Rods
Center to Center Length: 135mm/5.315"
Big End Bore Diameter: 48mm/1.890"
Big End Width: 21.79mm/0.858"
Small End Bore Diameter: 22mm /0.866"
Small End Width: 21.79mm/0.858"
Beam Style: H-beam
Connecting Rod Bolt Diameter: 3/8"
Approximate Connecting Rod Weight: 510g/piece
Advertised Horsepower Rating: 900hp
Quantity: Sold as 6 pieces /set
Material: Forged 4340 steel
Connecting Rod Finish: Shot-peened, Polished
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1g
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept

BMW 135x48x22 forged 4340 Conrods Description

Set of 6, Hurricane 4340 Chrome Moly Connecting Rods for BMW E36 M50B25 M50B28 engine. Each rod includes Hurricane 3/8 cap fasteners that are rated at 211,829psi, and they will also fits ARP 2000, L19, 625+ bolts as an upgrade. If you are looking for performance forged conrods without breaking your budget, consider us for reliable strength.



Note: For the metal macro structure of the connecting rod section, its fibers should flow along with the central line of the connecting rod and conform to the appearance. The 135mm Forged Connecting Rod Set BMW M50 B25 B28 are H-profile, with same width as original, suitable for very high cylinder pressure / power output.

Hurricane performance conrods for BMW race engine Features

- One-Piece forging for reliable strength
- The forged blank should be quenched and tempered with HRC34-38 hardness.
- Multi Stage Heat Treatment for maximum strength, dimensional stability, and fatigue life.
- Magnaflux Inspection guarantees that the consistency of the forged material meets our high-quality standard
- Dowel sleeves for perfect fit and accurate re-assembling
- Shot Peening for improved fatigue life
- CNC machining for superior tolerances
- Supplied in sets with weight ratio +/- 1.000gram

BMW E36 M50 135mm Connecting Rod Package



Note: BMW M50 135mm H-Beam Connecting Rods are balance weighted to +/- 1 gram per set and packaged in white boxes. for batch orders, small boxes will put in carton for air-shipping and put in Iron box for sea-shipping.

BMW Race Car Picture

